## STATE OF TEXAS WELL REPORT for Tracking #241286

Owner: KTL Enterprises Owner Well #: MW-8

Address: 14530 S. Post Oak Grid #: 65-29-1

Houston, TX

Well Location: 14530 S. Post Oak

Houston, TX

Latitude: 29° 36' 56" N

Longitude: 095° 27' 53" W

Well County: Harris Elevation: No Data

\*\*This well has been plugged\*\*

Plugging Report Tracking #72272

Type of Work: New Well Proposed Use: Monitor

Drilling Start Date: 11/12/2010 Drilling End Date: 11/12/2010

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 25

Drilling Method: Hollow Stem Auger

Borehole Completion: 20/40 sand

Seal Method: hand mix Distance to Property Line (ft.): No Data

Sealed By: **MEDI** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Slab Installed

Water Level: No Data

Packers: bentonite chips 3 - 1

Type of Pump: No Data

Well Tests: No Test Data Specified

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: Unknown

Did the driller knowingly penetrate any strata which

contained injurious constituents?: Unknown

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Mathers Environmental Drilling Inc.

12243 B. FM 529 Houston, TX 77041

Driller Name: Shannon Mathers License Number: 54933

Comments: No Data

## Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

## Casing: BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft)	Description
0-1 concrete, fill material	
1-5 sandy clay, gray	
5-5.5 light gray, silty clay	
5.5-10 silty clay, red brown	
10-14 sandy clay, red brown	
black gray	
14-16 silty sand, brown	
16-16.5 sand, fine grained	
16.5-24 silty sand	
24-25 silty clay, moist red brown	

Dia. (in.) New/Used Type Setting From/To (ft.)

2 new sch. 40 pvc screen 25 - 5 0.010 slot

2 new sch. 40 pvc riser 5 - 0

## IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540